CONTENTS OF VOLUME 27

NUMBER 1

Feature Articles

Early secondary succession of a pinyon-juniper woodland in a northern Arizona powerline corridor. *M. B. Hessing, C. D. Johnson,* and *R. P. Balda* 1

Carrion locating efficiency in burying beetles, *Nicrophorus carolinus* (L.) (Silphidae). *Marsha Reeves Conley* 11

Fungi isolated from sea foam collected at North Padre Island beaches. *Robert D. Koehn* 17

Notes on Cerambycidae co-inhabiting girdles on *Oncideres pustulata* LeConte (Coleoptera: Cerambycidae). *Frank T. Hovore* and *Richard L. Penrose* 23

Bouteloua rigidiseta var. *chihuahuana* (Poaceae), new variety from the Chihuahuan Desert region. *Marshall C. Johnston* 29

Comparative limnology and biota of mine spoils ponds in Colorado. *Steven P. Canton* 33

Age and growth, fecundity, abundance, and biomass production of the White Sands pupfish, *Cyprinodon tularosa* (Cyprinodontidae), in a desert pond. *Douglas B. Jester* and *Rita R. Suminski* 43

Differential response of woody and herbaceous species to summer and winter burning in an Oklahoma grassland. *Dwight E. Adams, Roger C. Anderson,* and *Scott L. Collins* 55

Variability within *Stegnosperma halimifolium* Benth. (Phytolaccaceae). *A. J. Gilmartin* and *M. L. Neighbours* 63

Seasonal fluctuations in the population density of *Alloglossidium corti* (Digenea: Macroderoididae) in channel catfish from the Little Brazos River, Texas. *Norman O. Dronen, Jr., Harold T. Underwood,* and *Louise A. Rubec* 73

Diel variation in species composition and diversity, density, and chlorophyll content of phytoplankton in an intermittent stream in Oklahoma. *Robert Mahnken* and *Jerry Wilhm* 79

A fire history of the high Chisos, Big Bend National Park, Texas. *William H. Moir* 87

Interspecific hybridization of smallmouth and Guadalupe bass (*Micropterus*): Evidence based on biochemical genetic and morphological analyses. *Donald H. Whitmore* and *Wade Butler* 99

Longitudinal gradients of fishes in Thompson Creek, Louisiana. *Vincent Guillory* 107

Notes

Analysis of cheek pouch contents of Ord's kangaroo rat (*Dipodomys ordii*). *Troy L. Best* and *Barbara Hoditschek* 117

Tadpole interactions in the Chihuahuan Desert at two experimental densities. *B. D. Woodward* 119

Additional notes on species richness of mammals at Bodie, California. *Vernon C. Bleich* 121

Maternal response to neonate vocalizations in Ord's kangaroo rat (*Dipodomys ordii*). *John P. LeVick* 122

New and clarified plant distribution and occurrence records for South Dakota. *Joseph R. Thomasson* 124

Review

Early herpetological studies and surveys in the eastern United States. Herpetological explorations of the great American West. *Ernest A. Liner* 125

Cover

Cover drawing of female *Latrodectus mactans* by *Celinda R. Crews*, Laboratory for Environmental Biology, Univ. Texas at El Paso.

Number 2

Feature Articles

Seasonal movements of Mexican freetail bats *Tadarida brasiliensis mexicana* banded in the Great Plains. *Bryan P. Glass* 127

Coexistence and competitive displacement involving two native ant species (Hymenoptera: Formicidae). *William* and *Emma MacKay* 135

The interaction of piñon pine and Gambel oak in plant succession near Dolores, Colorado. *Mary E. Floyd* 143

A review of western sandpiper migration in interior North America. *S. E. Senner* and *E. F. Martinez* 149

Seasonal incidence of snakes in northeastern Chihuahua, Mexico. *Robert P. Reynolds* 161

Arthropods, plants, and transmission lines in Arizona: Community dynamics during secondary succession in a pinyon-juniper woodland. *T. M. Ditsworth, S. M. Butt, J. R. Beley, C. D. Johnson,* and *R. P. Balda* 167

Distribution and status of red foxes (Canidae) in Oklahoma. *Richard T. Hatcher* 183

The courtship behavior of *Phidippus femoratus* (Araneae, Salticidae). *Robert R. Jackson* 187

Vegetation structure and microhabitat selection in grasshoppers (Orthoptera, Acrididae). *Anthony Joern* 197

One-year ponderosa pine seedling produces pollen. *R. L. DeVelice* and *J. T. Fisher* 211

Notes

Addition of *Etheostoma collettei* (Percidae) to the fish fauna of Oklahoma and of the Red River drainage of Arkansas. *William J. Matthews* and *Henry W. Robison* 215

Heat death of the orangethroat darter *Etheostoma spectabile* (Percidae) in a natural environment. *William J. Matthews, Eric Surat,* and *Loren G. Hill* 216

Cyanistic bullfrog from southwestern Oklahoma. *Jack D. Tyler* 218

Proximate ecology and mechanics of "intergeneric" swallow hybridization (*Hirundo rustica* X *Petrochelidon fulva*). *Robert F. Martin* 218

Albinistic Gambel's quail from eastern Arizona. *Thomas O. Clark* 220

New localities for *Tantilla rubra cucullata* (Colubridae) and the distribution of its two morphotypes. *David M. Hillis* and *Stephen L. Campbell* 220

An albino long-tailed vole from New Mexico. *Joe N. Fries, Michael J. Fuller,* and *Celinda R. Crews* 222

Fire ant predation on wood duck ducklings and pipped eggs. *Kenneth T. Ridlehuber* 222

Ash-throated flycatcher takes sagebrush lizard. *Terry B. Johnson* 222

Range extension for the redside shiner, *Richardsonius balteatus* (Richardson), in the upper Colorado River drainage. *Charles M. Haynes, Robert T. Muth,* and *Larry C. Wycoff* 223

Interbreeding between *Uma inornata* and *Uma notata*. *James W. Cornett* 223

Some effects of seasonality on helminthic infection in largemouth bass, *Micropterus salmoides* (Lacepede) (Centrarchidae). *Russell E. Ingham* and *Norman O. Dronen, Jr.* 223

Rainbow smelt, *Osmerus mordax* (Pisces: Osmeridae) in the Mississippi River of Arkansas and Tennessee. *Thomas M. Buchanan, Allen Carter, Sam Henry,* and *Ken Shirley* 225

Description of a new topminnow population in Arizona, with observations on topminnow/mosquitofish co-occurrence. *Gary K. Meffe, Dean A. Hendrickson,* and *John N. Rinne* 226

Range extension for *Proboscidea sabulosa* Correll (Martyniaceae), a sand dune endemic. *P. K. Bretting* 228

Evaporative water loss in *Opheodrys aestivus* (Colubridae). *Laura B. Dove, Dennis A. Baeyens,* and *Michael V. Plummer* 228

Ambystoma maculatum (Ambystomatidae) in the diet of *Heterodon platyrhinos* (Colubridae) from northern Arkansas. *Stanley E. Trauth* 230

Notes on longevity of *Gopherus berlandieri* (Testudinidae). *Frank W. Judd* and *J. Carlton McQueen* 230

Body temperatures of montane *Cnemidophorus inornatus* (Reptilia: Teiidae). *Timothy P. Stevens* 232

Tree and ground nests of southern *Eutamias*. *J. R. Callahan* and *D. Q. Estep* 234

Additional collections of mollusks from Pleistocene local faunas in Caddo and Canadian counties, Oklahoma. *Branley A. Branson, John Taylor,* and *Connie Taylor* 238

Additional records of house sparrows nesting on raptor nests. *James W. Parker* 240

Reproductive characteristics of the Colima giant whiptail (*Cnemidophorus communis communis* Cope. *J. Martin Walker* 241

Occurrence of larval flukes infecting aquatic snails in Bexar County, Texas. *J. Robert Harkrider* 243

A new state record of *Streptocephalus texanus* Packard (Anostraca) from Mexico. *Greg S. Spicer* 244

Second Oklahoma record for the silver-haired bat, *Lasionycteris noctivagans*. *Jack D. Tyler* and *Lloyd Payne* 245

Preliminary report of colony survivorship in the western harvester ant (*Pogonomermyx occidentalis*) in western Nebraska. *K. H. Keeler* 245

Number 3

Feature Articles

Wild buckwheat, *Eriogonum inflatum* (Polygonaceae): an enigmatic plant. *Peter W. Price* 247

Genic variability, dispersal, and differentiation in two species of ophiuroids from southern California. *William A. Gaarde* and *Leroy R. McClenaghan, Jr.* 255

Color pattern variation in *Crotalus lepidus lepidus* (Viperidae) in southwestern Texas. *Jerry W. Vincent* 263

Coexistence of a mosquito and a dytiscid beetle predator in an intermittent stream in northern Arizona. *Jean Stout* 273

The effects of gases from a burning coal seam on morphological and terpenoid characters in *Juniperus scopulorum* (Cupressaceae). *Robert P. Adams* 279

The aquatic Oligochaeta (Aeolosomatidae, Opistocystidae, Naididae) of Central America. *Walter J. Harman* 287

Succession of abandoned fields on the shortgrass prairie, northeastern Colorado. *Karen L. Reichhardt* 299

Seasonal activity of tenebrionid beetles in New Mexico mesquite dunes. *David B. Richman, Ellis W. Huddleston,* and *Melchor Ortiz* 305

Effects of tank training activities on botanical features at Fort Hood, Texas. *Forrest L. Johnson* 309

Behavioral differentiation between two species of cactophilic *Drosophila*. II. Pupation site preference. *James C. Fogleman* and *Therese A. Markow* 315

Morphological variation of the Texas lyre snake (*Trimorphodon biscutatus vilkonsoni*) from the Franklin mountains, west Texas. *Leroy H. Banicki* and *Robert G. Webb* 321

Arthropods, plants and transmission lines in Arizona: community dynamics during secondary succession in a pinyon-juniper chaparral habitat. *J. R. Beley, T. M. Ditsworth, S. M. Butt,* and *C. D. Johnson* 325

Grassland communities of east-central New Mexico and density of the range caterpillar, *Hemileuca oliviae* (Lepidoptera: Saturniidae). *William D. Beavis, John C. Owens, John A. Ludwig,* and *Ellis W. Huddleston* 335

New taxa in *Verbesina* (Sect. *Verbesinaria*) from north-Central Mexico. *B. L. Turner* 345

Mollusca of the White River, Arkansas and Missouri. *Mark E. Gordon* 347

Notes

A confusing specimen of rattlesnake from Cerro Tancítaro, Michoacán, México. *Jonathan A. Campbell* 353

Seasonal variation in leaf nitrogen in creosotebush (*Larrea tridentata* [DC.] Cov.: Zygophyllaceae). *C. E. Freeman* 354

Wing morphology and flight behavior of the bat fly *Trichobius major* (Diptera: Streblidae). *William Caire* and *Lothar Hornuff* 356

Comparative lipid values of epigean and cave-adapted *Astyanax*. *Francis L. Rose* and *Robert W. Mitchell* 357

An instance of the eastern collared lizard, *Crotaphytus collaris collaris* (Sauria: Iguanidae) feeding on *Sigmodon hispidus* (Rodentia: Cricetidae). *Chris T. McAllister* and *Stanley E. Trauth.* 358

The unionid fauna of Ft. Gibson Reservoir and the Grand (Neosho) River in Oklahoma: comments on a proposed increase in water level. *William D. Shepard* and *Alan P. Covich* 359

Population genetics of Mexican *Drosophila*. VII. Inversion polymorphism in populations of *Drosophila pseudoobscura* from southern Mexico. *O. Olivera, M. E. De La Rosa, V. M. Salceda, M. I. Gaso,* and *J. Juzman* 361

Acacia rigidula—a new ant-acacia. *D. Seigler, S. G. Saupe, D. A. Young,* and *P. M. Richardson* 364

Opportunistic feeding by an ornate box turtle under the nest of a Mississippi kite. *James W. Parker* 365

Community metabolism in a southeastern Oklahoma mountain stream. *John H. Carroll, James C. Randolph,* and *Richard G. Hunter* 365

Apparent predation on horned lark by loggerhead shrike. *Marsha Reeves Conley* 367

Correction: *Typhlotriton spelaeus,* not *Eurycea tynerensis*. *C. Kenneth Dodd* 367

NUMBER 4

Feature Articles

Habitat preferences of *Lupinus* (Fabaceae) in the western transverse ranges of southern California. *John F. O'Leary* 369
A new species of *Sabatia* (Gentianaceae) from the Chihuahuan desert. *John E. Williams* 379
The distribution of woody species in the Guadalupe River floodplain forest in the Edwards Plateau of Texas. *Allen L. Ford* and *O. W. Van Auken* 383
The female genital bone of chipmunks, genus *Eutamias*. *Dallas A. Sutton* 393
Age structure, condition and reproduction of two *Equus asinus* (Equidae) populations from Grand Canyon National Park, Arizona. *George A. Ruffner* and *Steven W. Carothers* 403
The ecology of *Abronia angustifolia* Greene (Nyctaginaceae) I. Phenology and perennation. *Christopher L. Royce* and *G. L. Cunningham* 413
The natural revegetation of lead/zinc mine spoil in northeastern Oklahoma. *David J. Gibson* 425
Summer food habits of fishes from two springs in east-central Nevada. *Cynthia D. Williams* and *Jack E. Williams* 437
Reproduction and population structure in the turtle, *Kinosternon sonoriense*. *Arthur C. Hulse* 447

Notes

An attack by bobcats on an adult javelina. *William E. Foldesh* 457
Inter-male aggression distance of *Plathemis lydia* (Drury) (Odonata:Libellulidae). *Jaime E. Dickerson, Jr., James V. Robinson, James T. Gilley*, and *John D. Wagner* 457
Highways as barriers to rodent dispersal. *Kenneth T. Wilkins* 459
Summer foods of Audubons cottontail (*Sylvilagus audubonii*: Leporidae) on Texas Panhandle playa basins. *Kim T. Scribner* and *Leslie J. Krysl* 460
Cave *Myotis* roosting in barn swallow nests. *Jerome A. Jackson, Bette J. Schardien, C. Dwight Cooley*, and *Bernard E. Rowe* 463
On habitat selection of Williamson's and "Red-naped" Yellow-Bellied Sapsuckers. *Kimberly G. Smith* 464
An ant-aphid association on threadleaf groundsel in the Davis Mountains area of west Texas. *Jim V. Richerson* and *Richard D. Jones* 466
The simultaneous use of a nesting site by the digger bees, *Anthophora abrupta* Say and *A. occidentalis* Cresson (Hymenoptera: Anthophoridae). *Stanley S. Schneider* 467

Review

Fishes in North American deserts. *Clark Hubbs* 469
SWANEWS 471
Index 477

THE SOUTHWESTERN NATURALIST 27(4):477-485 NOVEMBER 19, 1982

INDEX TO VOL. 27

1982

Compiled by John W. Bickham

A

Abronia angustifolia: phenology and perennation, 413

Acacia rigidula, a new ant-acacia, 364

Acrididae: microhabitat selection of, 197

Adams, Dwight E.: Differential response of woody and herbaceous species summer and winter burning in an Oklahoma grassland, 55

Adams, Robert P.: The effects of gases from a burning coal seam on morphological and terpenoid characters in *Juniperus scopulorum* (Cupressaceae), 279

Age structure: of *Equus asinus*, 403

Aggression: of *Plathemis lydia*, 457

Albinism: in Gambel's Quail, 220; in long-tailed vole, 222

Alloglossidium corti: seasonal fluctuations in population density, 73

Ambystoma maculatum: as prey for *Heterodon platyrhinos*, 230

Anderson, Roger C. *See* Adams, Dwight E., 55

Ant, fire: predation on wood ducklings, 222

Ant, western harvester: survivorship of, 245

Ant-aphid: association on threadleaf groundsel, 466

Ants: coexistence and displacement of two species, 135

Anthophora abrupta and *A. occidentalis*: simultaneous use of a nesting site, 467

Aphid: ant-aphid association, 466

Arkansas: *Etheostoma collettei* in, 215; rainbow smelt in, 225; mollusca of the White River, 347

Arkansas, northern: *Heterodon* preying on *Ambystoma* in, 230

Arizona: early secondary succession of a pinyon-juniper woodland in a northern powerline corridor, 1; community dynamics during secondary succession in a pinyon-juniper woodland, 167; topminnow-mosquitofish co-occurrence in, 226; coexistence of a mosquito and a dytiscid predator in an intermittent stream, 273; arthropods, plants and transmission lines, community dynamics in a pinyon-juniper chaparral habitat, 325; *Equus asinus* populations in Grand Canyon National Park, 403

Arizona, eastern: albinistic Gambel's quail from, 220

Arthropods: community dynamics during secondary succession in a pinyon-juniper chaparral habitat, 325

Arthopoda: community dynamics with plants during secondary succession, 167

Astyanax: lipid valves of epigean and cave adapted species, 357

Audubons cottontail: summer foods, 460

B

Baeyens, D. A. *See* Dove, L. B. et al., 228

Balda, R. P. *See* Ditsworth, T. M. et al., 167

Balda, R. P. *See* Hessing, M. B., et al., 1

Banding: seasonal movements of *Tadarida*, 127

Banicki, Leroy H. and Robert G. Webb: Morphological variation of the Texas lyre snake (*Trimorphodon biscutatus vilkonsoni*) from the Franklin Mountains, west Texas, 321

Barn swallow: Cave *Myotis* roosting in barn swallow nests, 463

Bass, Largemouth: helminthic infection, 223

Bat, Silver-haired: from Oklahoma, 245

Bats, Mexican freetail: seasonal movements, 127

Barriers: rodent dispersal, 459

Beavis, William D., John C. Owens, John A. Ludwig, and Ellis W. Huddleston: Grassland communities of east-central New Mexico and density of the range caterpillar, *Hemileuca oliviae* (lepidoptera: Saturniidae), 335

Behavior, courtship: of *Phidippus femoratus*, 187

Behavior, pupation site preference between two species of cactophilic *Drosophila*, 315; of flight and wing morphology in *Trichobius major*, 356

Beley, J. R. *See* Ditsworth, T. M. et al., 167

Beley, J. R., T. M. Ditsworth, S. M. Buff and C. D. Johnson: Arthropods, plants and transmission lines in Arizona: community dynamics during secondary succession in a pinyon-juniper chaparral habitat, 325

Best, Troy L.: Analysis of cheek pouch contents of Ord's kangaroo rat (Dipodomys ordii), 117

Big Bend National Park, Texas: a fire history of the high Chisos, 87

Biota: and comparative limnology of mine spoils ponds in Colorado, 33

Bleich, Vernon C.: Additional notes on species richness of mammals at Bodie, California, 121

Bobcats: attack on javelina, 457

Bouteloua rigidiseta var. *chihuahuana*: new variety from the Chihuahuan Desert region, 29

Body temperature: of *Cnemidophorus*, 232
Branson, B. A., Taylor, J. and C. Taylor: Additional collections of mollusks from pleistocene local faunas in Caddo and Canadian counties, Oklahoma, 238
Bretting, P. K.: Range extension for *Proboscidea sabulosa* Correll (Martyniaceae), a sand dune endemic, 228
Buchanan, Thomas M., Carter, A. Henry, S. and K. Shirley: rainbow smelt *Osmerus mordax* (Pisces: Osmeridae), in the Mississippi River of Arkansas and Tennessee, 225
Bullfrog: cyanistic, 218
Butler, Wade. *See* Whitmore, Donald K., 99
Butt, S. M. *See* Beley, J. R., et al., 325
Butt, S. M. *See* Dilsworth, T. M. et al., 167

C

Caire, William and Lothar Hornuff: Wing morphology and flight behavior of the bat fly *Trichobius major* (Diptera: Streblidae), 356
Calidris mouri: review of migration, 149
California: Additional notes on species richness of mammals at Bodie, 121; genic variability, dispersal and differentiation in two species of ophiuroids. 255; habitat preference of *Lupinus*, 369
Callahan, J. R. and D. Q. Estep: Tree and ground nests of southern *Eutamias*, 234
Campbell, Jonathan A.: A confusing specimen of rattlesnake from Cerro Tancítaro, Michoacań, Mexico, 353
Campbell, S. L. *See* Hillis, D. M. and, 220
Canton, Steven P.: Comparative limnology and biota of mine spoils ponds in Colorado, 33
Carothers, Steven W.: *See* Ruffner, George A., and, 403
Carroll, John H., James C. Randolph, and Richard G. Hunter: Community metabolism in a southeastern Oklahoma mountain stream, 365
Carter, Allen. *See* Buchanan, Thomas M. et al., 225
Cave *Myotis*: roosting in barn swallow nests, 463
Central America: aquatic Oligochaeta, 287
Cerambycidae: co-inhabiting girdles on *Oncideres pustulata* LeConte, 23
Chaparral: community dynamics during secondary succession in pinyon-juniper habitat, 325
Chihuahua: seasonal incidence of snakes in northeast, 161
Chihuahuan Desert: new variety of *Bouteloua rigidiseta*, 29; tadpole interaction at two experimental densities, 119; new species of *Sabatia*, 379
Chipmunks: female genital bone, 393
Chisos: A fire history in the Big Bend National Park, Texas, 87
Clark, Thomas O.: Albinistic Gambel's quail from eastern Arizona, 220
Cnemidophorus communis communis: reproduction of, 241
Cnemidophorus inornatus: body temperatures of, 232
Coal seam: effects of gases on morphological and terpenoid characters in *Juniperus scopulorum*, 279
Coexistence: of two ant species, 135
Collins, Scott L. *See* Adams, Dwight E., 55
Color pattern: variation in *Crotalus lepidus lepidus*, 263
Colorado: comparative limnology and biota of mine spoils ponds, 33; interaction of Pinyon pine and Gambel oak, 143; succession of abandoned fields on the shortgrass prairie, 299
Colorado River: redside shiner in, 233
Community: dynamics during secondary succession in a pinyon-juniper chaparral habitat, 325; metabolism in a southeastern Oklahoma mountain stream, 365
Comparative limnology: and biota of mine spoils ponds in Colorado, 33
Condition: of *Equus asinus* populations, 403
Conley, Marsha Reeves: Carrion locating efficiency in burying beetles, *Nicrophorus carolinus* (L.) (Silphidae), 11
Conley, Marsha Reeves: Apparent predation on horned lark by loggerhead shrike, 367
Cooley, C. Dwight: *See* Jackson, Jerome A., et al., 463
Cornett, James W.: Interbreeding between *Uma inornata* and *U. notata*, 223
Correction: *Typhotriton spelaeus* not *Eurycea tynerensis*, 367
Courtship, behavior: of *Phidippus femoratus*, 187
Covich, Alan P. *See* Shepard, William D., and, 359
Crews, C. R. *See* Fries, J. N. et al., 222
Crotalus: specimen from Cerro Tancítaro, Michoacań, 353
Crotalus lepidus lepidus: color pattern variation in southwestern Texas, 263
Crotaphytus collaris collaris: feeding on *Sigmodon hispidus*, 358
Cunningham, G. L.: *See* Royce, Christopher L., and, 413
Cyanism: in bullfrog, 218
Cyprinodon tularosa: Age, fecundity, growth, abundance, and biomass production in a desert pond, 43

D

Darter, Orangethroat: heat death of, 216

Davis Mountains: ant-aphid association on threadleaf groundsel in, 466
De La Rosa, M. E. *See* Olivera, O., et al., 361
DeVelice, R. L. and J. T. Fisher: One-year Ponderosa pine seedling produces pollen, 211
Dickerson, Jaime E., James V. Robinson, James T. Gilley, and John D. Wagner: Intermale aggression distance of *Plathemis lydia* (Drury) (Odenata: Libellulidae), 457
Digger bees: use of nesting sites, 467
Dipodomys ordii: analysis of cheek pouch contents, 117; maternal response to neonate vocalizations, 122
Dispersal: highways as barriers to rodent, 459
Displacement, competitive; of two ant species, 135
Distribution: of red foxes in Oklahoma, 183; of woody species in Guadalupe River floodplain, 383
Ditsworth, T. M., Butt, S. M., Beley, J. R., Johnson, C. D., and R. P. Balda: Arthropods, plants, and transmission lines in Arizona: community dynamics during secondary succession in a pinyon-juniper woodland, 167
Ditsworth, T. M. *See* Beley, J. R., et al., 325
Dodd, C. Kenneth: Correction; *Typhlotriton spelaeus*, not *Eurycea tynerensis*, 367
Dove, L. B., Baeyens, D. A. and M. V. Plummer: Evaporative water loss in *Opheodrys aestivus* (Colubridae), 228
Dronen, Norman O., Jr.: Seasonal fluctuations in the population density of *Alloglossidium corti* (Digenea: Macroderoididae) in channel catfish from the Little Brazos River, Texas, 73
Dronen, Norman O. *See* Ingham, R. E. and, 223
Drosophila: behavioral differentiation (pupation site preference) between two species, 315; inversion polymorphism in populations of Mexican *pseudoobscura*, 361
Duck, wood: fire ant predation on, 222
Ducklings: fire ant predation on, 222
Dynamics, community: Secondary succession around transmission lines, 167

E

Ecology: of *Abronia angustifolia*, 413
Ecology, Proximate: and mechanics of swallow hybridization, 218
Edwards Plateau: distribution of woody species in Guadalupe River floodplain forest, 383
Eggs, pipped: fire ant predation on, 222
Equus asinus: age structure, condition, and reproduction of populations, 403
Eremphila alpestris: predation by a loggerhead shrike, 367
Eriogonum inflatum: wild buckwheat an enigmatic plant, 247
Estep, D. Q. *See* Callahan, J. R. and, 234
Etheostoma collettei: from Oklahoma and Arkansas, 215
Etheostoma spectabile: heat death of, 216
Eurycea tynerensis: correction, 367
Eutamias: nests of, 234; female genital bone, 393

F

Fisher, J. T. *See* DeVelice, R. L. and, 211
Fishes: food habits, 437
Floodplain forest: distribution of woody species in Guadalupe River, 383
Floyd, Mary E.: The interaction of Pinyon pine and Gambel oak in plant succession near Dolores, Colorado, 143
Flycatcher, Ash-throated: preying on *Sceloporus*, 222
Flukes: affecting aquatic snails, 243
Fogleman, James C. and Therese A. Markow: Behavioral differentiation between two species of cactophilic *Drosophila*. II. Pupation site preference, 315
Foldesh, William E.: An attack by bobcats on an adult javelina, 457
Food habits: of fishes from Nevada, 437
Foods: of Audubons cottontail, 460
Ford, Allen L., and O. W. Van Auken: The distribution of woody species in the Guadalupe River floodplain forest in the Edwards Plateau of Texas, 383
Formicidae: coexistence and displacement of two species, 135
Ft. Gibson Reservoir: unionid fauna of, 359
Fort Hood: effects of tank training activities on bontanical features, 309
Foxes, red: in Oklahoma, 183
Franklin mountains: morphological variation of the *Trimorphodon biscutatus vilkonsoni*, 321
Freeman, C. E.: Seasonal variation in leaf nitrogen in creosote bush (*Larrea tridentata* (DC.) Cov.: Zygophyllaceae), 354
Fries, J. N., Fuller, M. J. and C. R. Crews: An albino long-tailed vole from New Mexico, 222
Fuller, Michael J. *See* Fries, J. N. et al., 222

G

Gaarde, William A. and Leroy R. McClenaghan, Jr.: Genic variability, dispersal, and differentiation in two species of ophiuroids from southern California, 255
Gaso, M. I. *See* Olivera, O., et al., 361
Genic variability: two species of ophiuroids, 255
Genital bone: of female chipmunks, 393

Gibson, David J.: the natural revegetation of lead/zinc mine spoil in northeastern Oklahoma, 425
Gilley, James T.: *See* Dickerson, Jaime E., et al., 457
Gilmartin, A. J.: Variability within *Stegnosperma halimifolium* Benth. (Phytolaccaceae), 63
Glass, Bryan P.: Seasonal movements of Mexican freetail bats *Tadarida brasilensis mexicana* banded in the Great Plains, 127
Gopherus berlandieri: longevity of, 230
Gordon, Mark E.: Mollusca of the White River, Arkansas and Missouri, 347
Grand Canyon National Park: *Equus asinus* populations, 403
Grand (Neosho) River: unionid fauna of, 359
Grasshoppers: microhabitat selection of, 197
Grassland communities: and density of *Hemileuca oliviae* in east-central New Mexico, 335
Great Plains: seasonal movements of *Tadarida*, 127
Guadalupe River: distribution of woody species in floodplain forest, 383
Guillory, Vincent: Longitudinal gradients of fishes in Thompson Creek, Louisiana, 107

H

Habitat: preference of *Lupinus* in southern California, 369
Habitat selection: of sapsuckers, 464
Harkrider, J. Robert: occurence of larval flukes infecting aquatic snails in Bexar County, Texas, 243
Harman, Walter J.: the aquatic Oligochaeta (Aeolosomatidae, Opistocystidae, Naididae) of Central America, 287
Hatcher, Richard T.: distribution and status of red foxes (Canidae) in Oklahoma, 183
Haynes, C. M., Muth, R. T. and L. C. Wycoff: Range extension for the redside shiner, *Richardsonius balteatus* (Richardson), in the Upper Colorado River drainage, 223
Heat Death: of *Etheostoma spectabile* in a natural environment, 216
Helminthes: infection of largemouth bass, 223
Hemileuca oliviae: density of and grassland communities in east-central New Mexico, 335
Hendrickson, D. A. *See* Meffe, G. K. et al., 225
Henry, Sam. *See* Buchanan, Thomas M. et al., 225
Hessing, M. B.: Early secondary succession of a pinyon-juniper woodland in a northern Arizona powerline corridor, 1
Heterodon platyrhinos: preying on *Ambystoma maculatum*, 230
Highways: barriers to rodent dispersal, 459
Hill, Loren G. *See* Matthews, W. J. et al., 216
Hillis, D. M. and S. L. Campbell: new localities for *Tantilla rubra cucullata* (Colubridae) and the distribution of its two morphotypes, 220
Hirundo rustica: hybridization with *Petrochelidon fulva*, 218
Hornuff, Lothar. *See* Caire, William, and, 356
Hovore, Frank T.: Notes on Cerambycidae coinhabiting girdles on *Oncideres pustulata* LeConte (Coleoptera: Cerambycidae), 23
Hoditschek, Barbara. *See* Best, Troy L., 117
Huddleston, Ellis W. *See* Richman, David B., et al., 305
Huddleston, Ellis W. *See* Beavis, William D., et al., 335
Hulse, Arthur C.: Reproduction and population structure in the turtle, *Kinosternon sonoriense*, 447
Hunter, Richard G. *See* Carroll, John H. J., et al., 365
Hybridization, "Intergeneric" Swallow: proximate ecology of, 218

I

Incidence, seasonal: of snakes in Chihuahua, 161
Interaction: of Pinyon and Gambel Oak, 143
Interbreeding: between *Uma inornata* and *U. notata*, 223
Infection, helminthic: of largemouth bass, 223
Ingham, Russel E. and Norman O. Dronen: some effects of seasonality of helminthic infection in largemouth bass, *Micropterus salmoides* (Lacepede) (Centrarchidae), 223
Interspecific hybridization: in small-mouth and Guadalupe bass (Micropterus): evidence based on biochemical and morphological analyses, 99
Inversion polymorphisms: in Mexican populations of *Drosophila pseudoobscura*, 361

J

Jackson, Jerome A., Bette J. Schardien, C. Dwight Cooley, and Bernard E. Rowe: Cave *Myotis* roosting in barn swallow nests, 463
Jackson, Robert R.: the courtship behavior of *Phidippus femoratus* (Araneae: Salticidae), 187
Javelina: attack by bobcats, 457
Jester, Douglas B.: Age and growth, fecundity, abundance, and biomass production of the White Sands pupfish, *Cyprinodon tularosa* (Cyprinodontidae), in a desert pond, 43
Juniperus scopulorum: effects of gases from a burning coal seam on morphological and terpenoid characters, 279
Joern, Anthony: Vegetation structure and microhabitat selection in grasshoppers (Orthoptera, Acrididae), 197

Johnson, C. D. *See* Hessing, M. B., et al., 1
Johnson, C. D. *See* Ditsworth, T. M. et al., 167
Johnson, C. D. *See* Beley, J. R., et al., 325
Johnson, Forrest L.: Effects of tank training activities on botanical features at Fort Hood, Texas, 309
Johnson, Terry B.: Ash-throated flycatcher takes sagebrush lizard, 222
Johnston, Marshall C.: *Bouteloua rigidiseta* var. *chihuahuana* (Poaceae), new variety from the Chihuahuan Desert region, 29
Jones, Richard D. *See* Richerson, Jim V., and, 466
Judd, Frank W. and J. C. McQueen: Notes on longevity of *Gopherus berlandieri* (Testudinidae), 230
Juzman, J. *See* Olivera, O., et al., 361

K
Keller, N. H.: Preliminary report of colony survivorship in the Western harvester ant (*Pogonomyrmex occidentalis*) in Western Nebraska, 245
Kinosternon sonoriense: reproduction and population structure, 447
Koehn, Robert D.: Fungi isolated from sea foam collected at North Padre Island beaches, 17
Krysl, Leslie J.: *See* Scribner, Kim T., and, 460

L
Larrea tridentata: seasonal variation in leaf nitrogen, 354
Lasionycteris noctivagans: from Oklahoma, 245
Leaf nitrogen: seasonal variation in *Larrea tridentata*, 354
LeVick, John P.: Maternal response to neonate vocalizations in Ord's kangaroo rat (*Dipodomys ordii*), 122
Lipid values: of epigean and cave adapted *Astyanax*, 357
Little Brazos River, Texas: seasonal fluctuations in population density of *Alloglossidium corti* in channel catfish, 73
Lizard, Coachella Valey fringe-toed: interbreeding with *Uma notata*, 223
Lizard, Sagebrush: eaten by Ash-throated flycatcher, 222
Longitudinal gradients: of fishes in Thompson Creek, Louisiana, 107
Lophortyx gambelii: albinism in, 220
Louisiana: longitudinal gradients of fishes in Thompson Creek, 107
Ludwig, John A. *See* Beavis, William D., et al., 335
Lupinus: habitat preference, 369

M
MacKay, William and Emma: Coexistence and competitive displacement involving two native ant species (Hymenoptera: Formicidae), 135
Mahnken, Robert: Diel variation in species composition and diversity, density, and chlorophyll content of phytoplankton in an intermittent stream in Oklahoma, 79
Markow, Therese A. *See* Fogleman, James C., and, 315
Martin, Robert F.: Proximate ecology and mechanics of "intergeneric" swallow hybridization (*Hirundo rustica* X *Petrochelidon fulva*), 218
Martinez, E. F. *See* Senner, S. E. and, 149
Matthews, William J. and Henry W. Robinson: Addition of *Etheostoma collettei* (Percidae) to the fish fauna of Oklahoma and of the Red River drainage in Arkansas, 215
McAllister, Chris T. and Stanley E. Trauth: An instance of the eastern collared lizard, *Crotaphytus collaris collaris* (Sauria: Iguanidae) feeding on *Sigmodon hispidus* (Rodentia: Cricetidae), 358
Matthews, William J., Surat, E. and L. G. Hill: Heat death of the orangethroat darter *Etheostoma spectabile* (Percidae) in a natural environment, 216
McClenaghan, Leroy R., Jr. *See* Gaarde, William A., and, 225
McQueen, J. C. *See* Judd, Frank W. and, 230
Mechanics: of swallow hybridization, 218
Meffe, G. K., Hendrickson, D. A., and J. N. Rinne: Description of a new topminnow population in Arizona, with observations on topminnow / mosquitofish co-occurrence, 226
Mesquite dunes: seasonal activity of tenebrionid beetles, 305
Mexico: seasonal movements of mexican freetail bats, 127; new taxa in *Verbesina* from north-central Mexico, 345; rattlesnake from Cerro Tancitaro, Michoacań, 353; inversion polymorphism in populations of *Drosophila pseudoobscura* from southern Mexico, 361
Mexico, Chihuahua: seasonal incidence of snakes in, 161
Mexico, Coahuila: fairy shrimp from, 244
Microhabitat, selection: grasshoppers and vegetation structure, 197
Micropterus: interspecific hybridization of smallmouth and Guadalupe bass, 99
Micropterus salmoides: helminthic infection in, 223
Microtus longicaudus: albinism in, 222
Migration: of *Calidris mauri*, 149
Mine spoil: revegetation, 425
Mississippi River: *Osmerus mordax*, 225
Missouri: mollusca of the White River, 347

Mitchell, Robert W. *See* Rose, Francis L., and, 357
Moir, William H.: A fire history of the high Chisos, Big Bend National Park, Texas, 87
Mollusca: fossils from Oklahoma, 238; of White River, Arkansas and Missouri, 347
Mosquitofish; co-occurence with topminnow, 226
Morphotypes: of *Tantilla rubra cucullata*, 220
Movements, seasonal: of Mexican freetail bats, 127
Muth, Robert T. *See* Haynes, C. M. et al., 223
Myotis: roosting in barn swallow nests, 463

N
Nebraska, Western: Western harvester ant in, 245
Neighbours, M. L. *See* Gilmartin, A. J., 63
Nesting site: use by digger bees, 467
Nests: Cave *Myotis* roosting in barn swallow nests, 463; of *Eutamias*, 234
Nevada: food habits from fishes from two springs, 437
New Mexico: albino long-tailed vole from, 222; seasonal activity of tenebrionid beetles in mesquite dunes, 305; grassland communities and density of *Hemileuca oliviae*, 335
Nicrophorus carolinus: Carrion locating efficiency in burying beetles, 11
North America, interior: *Calidris mauri* migration in, 149
North Padre Island: fungi isolated from sea foam, 17

O
Oak, Gambel: interaction with Pinyon pine, 143
Oklahoma: differential response of woody and herbaceous species to summer and winter burning, 55; diel variation in species composition and diversity, density, and chlorophyll content of phytoplankton in an intermittent stream, 79; red foxes in, 183; *Etheostoma collettei* in, 215; Pleistocene mollusca from, 238; silver-haired bat from, 245; unionid fauna of Ft. Gibson Reservoir and the Grand (Neosho) River, 359; community metabolism in a southeastern Oklahoma mountain stream, 365; revegetation of lead/zinc mine spoil, 425
Oklahoma, Southwestern: cyanistic bullfrog in, 218
O'Leary, John F.: Habitat preference of *Lupinus* (Fabaceae) in the western transverse ranges of southern California, 369
Oligochaeta: of Central America, 287
Olivera, O., M. E. De La Rosa, V. M. Salceda, M. I. Gaso, and J. Juzman: Population genetics of Mexican *Drosophila*. VII. Inversion polymorphism in populations of *Drosophila pseudoobscura* from Southern Mexico, 361
Oncideres pustulata: notes on Cerambycidae co-inhabiting girdles, 23
Opheodrys aestivus: water loss in, 228
Ophidia: seasonal incidence in Chihuahua, 161
Ophiuroids: genic variability, dispersal, and differentiation, 255
Ortiz, Melcher. *See* Richman, David B., et al., 305
Osmerus mordax: in Mississippi River, 225
Owens, John C. *See* Beavis, William D., et al., 335

P
Parker, James W.: Additional records of house sparrows nesting on raptor nests, 240
Parker, James W.: Opportunistic feeding by an ornate box turtle under the nest of a Mississippi kite, 365
Payne, Lloyd. *See* Tyler, Jack D. and, 245
Penrose, Richard L. *See* Hovore, Frank T., 23
Perennation: of *Abronia angustifolia*, 413
Petrochelidon fulva: hybridization with *Hirundo rustica*, 218
Phenology: of *Abronia angustifolia*, 413
Phidippus femoratus: courtship behavior of, 187
Phytoplankton: diel variation in species composition and diversity, density, and chlorophyll content in an intermittent stream in Oklahoma, 79
Pine, pinyon: interaction with Gambel oak, 143
Pine, ponderosa: pollen production in one-year seedling, 211
Pinus edulis: interaction with Gambel oak, 143
Pinyon-juniper chaparral: community dynamics during secondary succession, 325
Pinyon-juniper woodland: early secondary succession in a northern Arizona powerline corridor, 1
Plants: community dynamics with arthropods during secondary succession, 167
Plathemis lydia: inter-male aggression distance, 457
Playa basins: summer foods of Audubons Cottontail, 460
Plummer, M. V. *See* Dove, L. B. et al., 228
Pogonomyrmex occidentalis: survivorship of, 245
Pollen: from one-year Ponderosa pine seedling, 211
Population density: seasonal fluctuation of *Alloglossidium corti* in channel catfish from the Little Brazos River, Texas, 73
Population structure: in *Kinosternon sonoriense*, 447

Predation: by fire ants on wood ducklings, 222; by loggerhead shrike on horned lark, 367
Price, Peter W.: Wild buckwheat, *Eriognum inflatum* (Polygonaceae): an enigmatic plant, 247
Proboscidea sabulosa: range extension for, 228
Pupation site: behavioral differentiation between two species of cactophilic *Drosophila*, 315

Q
Quercus gambelii: interaction with Pinyon pine, 143
Quail, Gambel's: albinism in, 220

R
Randolph, James C. *See* Caroll, John H., et al., 365
Rana catesbeiana: cyanism in, 218
Raptors: sparrows nesting with, 240
Reichhardt, Karen L.: Succession of abandoned fields on the shortgrass prairie, northeastern Colorado, 299
Reproduction: of whiptail, 241; of *Equus asinus* populations, 403; in *Kinosternon sonoriense*, 447
Revegetation: of lead/zinc mine spoil, 425
Reynolds, Robert P.: Seasonal incidence of snakes in northeastern Chihuahua, Mexico, 161
Richardson, P. M. *See* Seigler, D., et al., 364
Richardsonius balteatus: range extension in, 223
Richerson, Jim V., and Richard D. Jones: An ant-aphid association on thredleaf groundsel in the Davis Mountains area of West Texas, 466
Richman, David B., Ellis W. Huddleston, and Melchor Ortiz: Seasonal activity of tenebrionid beetles in New Mexico mesquite dunes, 305
Ridlehuber, Kenneth T.: Fire ant predation on wood duck ducklings and pipped eggs, 222
Rinne, J. N. *See* Meffe, G. K. et al., 226
Robinson, Henry W. *See* Matthews, William J. and, 215
Robinson, James V. *See* Dickerson, Jaime E., et al., 457
Rodent: Highways as barriers to dispersal, 459
Rose, Francis L. and Robert W. Mitchell: Comparative lipid values of epigean and cave-adapted *Astyanax*, 357
Rowe, Bernard E. *See* Jackson, Jerome A., et al., 463
Royce, Christopher L., and G. L. Cunningham: The ecology of *Abronia angustifolia* (Nyctaginaceae) I. Phenology and perennation, 413
Rubec, Louise A. *See* Dronen, Norman O., Jr., 73
Ruffner, George A., and Steven W. Carothers: Age structure, condition and reproduction of two *Equus asinus* populations from Grand Canyon National Park, Arizona, 403

S
Sabatia: new species from the Chihuahuan Desert, 379
Salceda, V. M. *See* Olivera, O., et al., 361
Sandpiper, Western: review of migration, 149
Sapsuckers: habitat selection of, 464
Saupe, S. G. *See* Seigler, D., et al., 364
Sceloporus graciosus: eaten by *Myiarchus*, 222
Schardien, Bette J. *See* Jackson, Jerome A., et al., 463
Schneider, Stanley S.: The simultaneous use of a nesting site by the digger bees, *Anthophora abrupta* Say and *A. occidentalis* Cresson (Hymenoptera: Anthophoridae), 467
Scribner, Kim T., and Leslie J. Krysl: Summer foods of Audubons cottontail (*Sylvilagus audoboni*: Leporidae) on Texas Panhandle playa basins, 460
Sea foam: fungi collected at North Padre Island beaches, 17
Seasonal, incidence: of snakes in Chihuahua, 161
Seasonal, movement: of Mexican freetail bats, 127
Seasonality: of helminthic infection of bass, 223; activity of tenebrionid beetles, 305; variation in leaf nitrogen in creosotebush, 354
Seedling, Ponderosa Pine: pollen production of, 211
Seigler, D., S. G. Saupe, D. A. Young, and P. M. Richardson: *Acacia rigidula*—a new ant-acacia, 364
Selection, microhabitat: of grasshoppers, 197
Senner, S. E. and E. F. Martines: A review of Western sandpiper migration in Interior North America, 149
Shepard, William D. and Alan P. Covich: The unionid fauna of Ft. Gibson Reservoir and the Grand (Neosho) River in Oklahoma: comments on a proposed increase in water level, 359
Shiner, Redside: range extension, 223
Shirley, Ken. *See* Buchanan, Thomas M. et al., 225
Shortgrass prairie: succession of abandoned fields, 299
Sigmodon hispidus: food for *Crotaphytus collaris collaris*, 358
Smelt, rainbow: in Mississippi River, 225
Smith, Kimberly G.: On habitat selection of Williamson's and "Red-naped" Yellow Bellied Sapsuckers, 464
Snails, aquatic: fluke parasitism of, 243
Snake, Big Bend Black-headed: distribution of morphotypes, 220

Snakes: seasonal incidence in Chihuahua, 161
Sparrow, house: nesting on raptor nest, 240
Spicer, Greg S.: a new state record of *Streptocephalus texanus* Packard (Anostraca) from Mexico, 244
Solenopsis invicta: predation on wood ducklings, 222
Springs: food habits of fishes, 437
South Dakota: new and clarified plant distribution and occurence records, 124
Species richness: of mammals at Bodie, California, 121
Status: of red foxes in Oklahoma, 183
Stegnosperma halimifolium: variability, 63
Stevens, Timothy P.: body temperatures of montane *Cnemidophorus inornatus* (Reptilia: Teiidae), 232
Stout, Jean: coexistence of a mosquito and a dytiscid beetle predator in an intermittent stream in northern Arizona, 273
Streptocephalus texanus: from Coahuila, Mexico, 244
Structure, vegetation: and microhabitat selection in grasshoppers, 197
Succession: abandoned fields on the shortgrass prairie, 299; community dynamics during secondary succession in a pinyon-juniper chaparral habitat, 325
Succession, plant: interaction of Pinyon pine and Gambel oak, 143
Succession, secondary: arthropods and plants around transmission lines, 167
Suminski, Rita R. *See* Jester, Douglas B., 43
Surat, Eric. *See* Matthews, W. S., et al., 216
Survivorship: of Western harvester ant, 245
Sutton, Dallas A.: The female genital bone of chipmunks, genus *Eutamias*, 393
Swallows: intergeneric hybridization in, 218
Sylvilagus audubonii: summer foods, 460

T
Tadarida brasilensis mexicana: seasonal movements in Great Plains, 127
Tadpole: interactions in the Chihuahuan Desert at two experimental densities, 119
Tantilla rubra cucullata: distribution of morphotypes, 220
Tank training: effects of on botanical features at Fort Hood, 309
Taylor, C. *See* Branson, B. A. et al., 238
Taylor, J. *See* Branson, B. A. et al., 238
Tenebrionid beetles: seasonal activity in New Mexico mesquite dunes, 305
Tennessee: rainbow smelt in, 225
Terrapene ornata: opportunistic feeding under the nest of a Mississippi kite, 365
Texas: seasonal fluctuations in population density of *Alloglossidium corti* in channel catfish from the Little Brazos River, 73; a fire history of the high Chisos in the Big Bend National Park, 87; color pattern variation in *Crotalus lepidus lepidus*, 263; effects of tank training activities on botanical features at Fort Hood, 309; morphological variation of *Trimorphodon bisculatus vilkonsoni* from the Franklin mountains, 321; distribution of woody species in the Guadalupe River floodplain forest, 383; summer foods of Audubons cottontail, 460; ant-aphid association on threadleaf groundsel in the Davis Mountains area of, 466
Texas, Bexar County: larval flukes in, 243
Thomasson, Joseph R.: new and clarified plant distributions and occurrence records for South Dakota, 124
Thompson Creek, Louisiana: longitudinal gradients of fishes, 107
Threadleaf groundsel: ant-aphid association on, 466
Topminnow: co-occurrence with Mosquitofish, 226
Transmission lines: as cause for secondary succession of plants and arthropods, 167; community dynamics during secondary succession in a pinyon-juniper chaparral habitat, 325
Trauth, Stanley E.: *Ambystoma maculatum* (Ambystomatidae) in the diet of *Heterodon platyrhinos* (Colubridae) from Northern Arkansas, 230
Trauth, Stanley E. *See* McAllister, Chris T., and, 358
Trichobius major: wing morphology and flight behavior, 356
Trimorphodon biscutatus vilkonsoni: morphological variation from the Franklin mountains, 321
Turner, B. H.: New taxa in *Verbesina* (Sect. Verbesinarta) from north-Central Mexico, 345
Turtle: reproduction and population structure in *Kinosternon sonoriense*, 447
Typhotriton spelaeus: correction, 367
Tyler, Jack D.: cyanistic bullfrog from southwestern Oklahoma, 218
Tyler, Jack D. and L. Payne: second Oklahoma record for the silver-haired bat, *Lasionycteris noctivagans*, 245

U
Uma: interbreeding between *U. inornata* and *U. notata*, 223
Underwood, Harold T. *See* Dronen, Norman O., Jr., 73
Unionid fauna: of Ft. Gibson Reservoir and the Grand (Neosho) River in Oklahoma, 359

V
Van Auken, O. W.: *See* Ford, Allen L., and, 383
Variability: in *Stegnosperma halimifolium*, 63
Verbesina: new taxa from north-central Mexico, 345
Vincent, Jerry W.: Color pattern variation in *Crotalus lepidus lepidus* (Viperidae) in southwestern Texas, 263
Vegetation: structure and microhabitat selection in grasshoppers, 197
Vole, long-tailed: albino, 222
Vulpes vulpes: in Oklahoma, 183

W
Wanger, John D.: *See* Dickerson, Jaime E., et al., 457
Walker, J. Martin: Reproductive characteristics of the Colima giant whiptail, *Cnemidophorus communis communis* Cope, 241
Waterloss: in *Opheodrys aestivus*, 228
Webb, Robert G. *See* Banicki, Leroy H., and, 321
Whiptail, Colima giant: reproduction of, 241
White River: mollusca of in Arkansas and Missouri, 397
Whitmore, Donald H.: interspecific hybridization of smallmouth and Guadalupe bass (Micropterus): Evidence based on biochemical genetic and morphological analyses, 99
Wilhm, Jerry. *See* Mahnken, Robert, 79
Wilkens, Kenneth T.: highways as barriers to rodent dispersal, 459
Williams, Cynthia D., and Jack E. Williams: summer food habits of fishes from two springs in east-central Nevada, 437
Williams, Jack E. *See* Williams, Cynthia D. and, 437
Williams, John E.: a new species of *Sabatia* (Gentianaceae) from the Chihuahuan Desert, 379
Williamson's sapsucker: habitat selection of, 464
Wing morphology: and flight behavior in *Trichobius major*, 356
Woodland, Pinyon-Juniper: secondary succession around transmission lines, 167
Woodward, B. D.: Tadpole interactions in the Chihuahuan desert at two experimental densities, 119
Wycoff, Larry C. *See* Haynes, C. M. et al., 223

Y
Young, D. A. *See* Seigler, D., et al., 364
Yellow Bellied Sapsucker: habitat selection of, 464